

# **Summary of the November/December 2000 and January 2001 EISCAT campaigns.**



## **DISTRIBUTION STATEMENT A**

Approved for Public Release  
Distribution Unlimited

20020531 095

AQ F02-08-1605

## REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 07-01-2002			2. REPORT TYPE Final Report		3. DATES COVERED (From - To) 17 November 2000 - 04-Apr-02
4. TITLE AND SUBTITLE  High Latitude Disturbances: Combined Svalbard EISCAT Radar, Optical and Magnetic Observations for Polar Cusp/Cap Research			5a. CONTRACT NUMBER F61775-01-WE014		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)  Professor Alv Egeland			5d. PROJECT NUMBER		
			5d. TASK NUMBER		
			5e. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  University of Oslo PO Box 1048 Blindern Oslo N-0316 Norway				8. PERFORMING ORGANIZATION REPORT NUMBER  N/A	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  EOARD PSC 802 BOX 14 FPO 09499-0014				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) SPC 01-4014	
12. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT  This report results from a contract tasking University of Oslo as follows: The contractor will investigate disturbances in the polar ionosphere caused by fluctuating solar winds. In particular, he will attempt to accurately locate the boundary between open and closed magnetic field lines and then determine which processes occur on each of the field lines. These measurements will be made during quiet and disturbed conditions.					
15. SUBJECT TERMS EOARD					
16. SECURITY CLASSIFICATION OF:  a. REPORT UNCLAS			17. LIMITATION OF ABSTRACT UL	18. NUMBER OF PAGES 160	19a. NAME OF RESPONSIBLE PERSON David M. Burns, Lt Col, USAF
b. ABSTRACT UNCLAS			19b. TELEPHONE NUMBER (Include area code) +44 (0)20 7514 4955		
c. THIS PAGE UNCLAS					

## **Contents:**

1. Overview of the campaigns
2. Summary plots from the Nov/Dec 2000 campaign, day by day
3. Summary plots from the January 2001 campaign, day by day

July 19, 2001  
Plasma and Space Physics Group  
Department of Physics  
University of Oslo

## Campaign: November/December 2000

Joint campaign during POLAR overpasses.

The VHF in Tromsø was also running.

All data is tau0 12.8 seconds, and both antennas were used.

Date	Time started	Time stopped	Notes
November 24, 2000	17:01:26 UT	22:02:21 UT	Antenna 1 is pointing north (Az-14.5, El 30), along Tromsø VHF. No optics
November 25, 2000	16:59:53 UT	22:02:00 UT	Antenna 1 is pointing north (Az-14.5, El 30), along Tromsø VHF. No optics
November 27, 2000	17:06:47 UT	22:00:09 UT	Antenna 1 is pointing north (Az-14.5, El 30), along Tromsø VHF. Some optical coverage from the beginning but increasing cloud cover (CLUSTER/POLAR). Airport interlock from 17:23 to 17:43. <u>From 19:00</u> Antenna 1 is pointing along the Ny Ålesund meridian (Az-45, El 30), due to good optical conditions
November 28, 2000	18:25:23 UT	23:31:46 UT	Antenna 1 is pointing along the Ny Ålesund meridian (Az-45, El 30). Some optics from LYR through cloud cover. Got nice aurora in the beam looking north, and were allowed to run longer
December 1, 2000	16:59:19 UT	22:00:21 UT	Antenna 1 is pointing along the Ny Ålesund meridian (Az-45, El 30). No optics. Field aligned dish: Nice ionization below 200 km between 17:00 and 17:10, due to a strong green arc
December 4, 2000	17:05:40 UT	23:01:29 UT	Antenna 1 is pointing north (Az-15, El 30), along Tromsø VHF. No optics. Jørn got extra time to see if the expansion phase of the substorm was coming
December 7, 2000	17:00:11 UT	22:00:03 UT	Antenna 1 is pointing south (Az135, El 30), towards Tromsø VHF. No optics. Airport interlock from 17:00 to 17:10. <u>Missing data:</u> Sudden stop in the recording from 17:15 to 17:27

# CAMPAIGN: January 2001

## At the radar site:

- Kjellmar Oksavik
- Jørn Moen
- Herb Carlson

All data is tau0 3.2 seconds

## Herb Carlson's scanning modes:


		Scan Width	Direction
1. Windshield wiper scan between 15 and 105 az at 30 el		90°	East
Slew speed = 0.703 deg/sec			
Dwell = 128 sec ( <i>cycle = 4 * 64 sec</i> )			
2. Windshield wiper scan between 30 and 150 el at -45 az		120°	Meridian
Slew speed = 0.938 deg/sec			
Dwell = 128 sec ( <i>cycle = 4 * 64 sec</i> )			
3. Windshield wiper scan between -165 and -75 az at 30 el		90°	West
Slew speed = 0.703 deg/sec			
Dwell = 128 sec ( <i>cycle = 4 * 64 sec</i> )			
4. Windshield wiper scan between -75 and 15 az at 30 el		90°	North
Slew speed = 0.703 deg/sec			
Dwell = 128 sec ( <i>cycle = 4 * 64 sec</i> )			
> Set up 18 * 6.4 s on 32m antenna and 2 * 6.4s on 42m antenna			
5. Windshield wiper scan between 105 and 195 az at 30 el		90°	South
Slew speed = 0.703 deg/sec			
Dwell = 128 sec ( <i>cycle = 4 * 64 sec</i> )			
> Set up 18 * 6.4 s on 32m antenna and 2 * 6.4s on 42m antenna			
6. Windshield wiper scan between 30 and 90 az at 30 el		60°	East
Slew speed = 0.313 deg/sec			
Dwell = 192 sec ( <i>cycle = 6 * 64 sec</i> )			
7. Windshield wiper scan between 45 and 135 el at -45 az		90°	Meridian
Slew speed = 0.469 deg/sec			
Dwell = 192 sec ( <i>cycle = 6 * 64 sec</i> )			
8. Windshield wiper scan between 210 and 270 az at 30 el		60°	West
Slew speed = 0.313 deg/sec			
Dwell = 192 sec ( <i>cycle = 6 * 64 sec</i> )			
9. Windshield wiper scan between -60 and 0 az at 30 el		60°	North
Slew speed = 0.313 deg/sec			
Dwell = 192 sec ( <i>cycle = 6 * 64 sec</i> )			
> Set up 26 * 6.4 s on 32m antenna and 4 * 6.4s on 42m antenna			
10. Windshield wiper scan between 120 and 180 az at 30 el		60°	South
Slew speed = 0.313 deg/sec			
Dwell = 192 sec ( <i>cycle = 6 * 64 sec</i> )			
> Set up 26 * 6.4 s on 32m antenna and 4 * 6.4s on 42m antenna			
11. Windshield wiper scan between 90 and 210 az at 30 el		120°	Southeast
Slew speed = 0.469 deg/sec			
Dwell = 256 sec ( <i>cycle = 8 * 64 sec</i> )			

Date	Time started	Time stopped	Mode	Notes
January 15, 2001				First day using scanning modes, late start due to operating problems
	09:09:37 UT	11:14:51 UT	3	Mode 3, but with Dwell=126 sec.
January 16, 2001	06:03:12 UT	07:38:24 UT	4	
	07:47:41 UT	08:25:42 UT	7	
	08:34:22 UT	11:02:06 UT	3	Airport interlock from 09:10 to 09:21
January 17, 2001				Clear skies, nice aurora in the north
	06:01:05 UT	07:15:53 UT	1	
	07:19:44 UT	09:08:41 UT	2	Airport interlock from 09:05 to 09:15
	09:14:56 UT	10:52:04 UT	4	Airport interlock from 10:52 to 11:00
January 18, 2001				Bad weather, strong winds
	06:05:09 UT	07:34:46 UT	6	High system temperature in AC2
	07:38:55 UT	11:00:29 UT	2	
January 19, 2001	06:00:46 UT	07:58:10 UT	1	Wrong slew speed before 06:03
	08:02:24 UT	09:17:02 UT	2	Airport interlock from 08:50 to 09:10
				Airport interlock from 09:18 to 09:30
	09:31:35 UT	11:59:52 UT	4	Got extra time because of good geophysical conditions
January 20, 2001				Clear skies, some clouds in the north
	06:03:02 UT	07:17:33 UT	1	
	07:21:48 UT	09:51:07 UT	2	The weather got cloudy
	09:55:21 UT	11:00:07 UT	4	
January 25, 2001	18:00:29 UT	23:00:06 UT	11	Huge velocity shear in ion velocity, is that due to error in the transmitter???


**Contents, November 24, 2000 :**


- IMF-ACE plot
- EISCAT VHF(Tromsø) radar summary plots
- EISCAT Svalbard summary plots
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

## ACE: Solar Wind Parameters, Nov 24 2000




UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
$X_{\text{GSM}}$	224.4	224.4	224.4	224.4	224.5	224.5	224.5	224.5	224.5
$Y_{\text{GSM}}$	29.7	29.7	29.8	29.8	29.9	29.9	29.9	30.0	30.0
$Z_{\text{GSM}}$	-24.1	-24.2	-24.1	-24.1	-24.1	-24.1	-24.0	-24.0	-24.0







Longyearbyen 24-Nov-2000 Az 181 El 82



Longyearbyen 24-Nov-2000 Az -15° 0 El 30






# IMAGE magnetometer network 2000-11-24



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5


DATE: 24/November/2000




## **Contents, November 25, 2000 :**


- IMF-ACE plot
- EISCAT VHF(Tromsø) radar summary plots
- EISCAT Svalbard summary plots
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

## ACE: Solar Wind Parameters, Nov 25 2000




UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
$X_{\text{GSM}}$	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.9	224.9
$Y_{\text{GSM}}$	30.6	30.6	30.8	30.9	30.9	31.0	31.1	31.2	31.2
$Z_{\text{GSM}}$	-23.8	-23.8	-23.6	-23.5	-23.5	-23.4	-23.3	-23.3	-23.2






NOTE: THE AZIMUTH ANGLE IS NOT 0, AS  
INDICATED BY THE LABEL, BUT -15

Longyearbyen 25–Nov–2000 Az 181 El 82




Longyearbyen 25-Nov-2000 Az -14- 0 El 30



# IMAGE magnetometer network 2000-11-25




2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5


DATE: 25/November/2000




**Contents, November 27, 2000 :**


- IMF-ACE plot
- EISCAT VHF(Tromsø) radar summary plots
- EISCAT Svalbard summary plots
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

## ACE: Solar Wind Parameters, Nov 27 2000




UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
X [GSM]	225.4	225.4	225.5	225.5	225.5	225.5	225.5	225.5	225.5
Y [GSM]	31.7	31.8	31.9	32.0	32.2	32.3	32.4	32.5	32.7
Z [GSM]	-23.8	-23.8	-23.6	-23.4	-23.2	-23.1	-22.9	-22.7	-22.6







# Longyearbyen 27-Nov-2000 Az 181 El 82



Longyearbyen 27–Nov–2000 Az –45°–0 El 30°




Longyearbyen 27-Nov-2000 Az -15- 0 El 30



# IMAGE magnetometer network 2000-11-27

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5




DATE: 27/November/2000

0 10 20 30 40 50 60

Attenuation dB

8 9 10 11 12 13 14 15 16 17 18 19


Frequency MHz




**Contents, November 28, 2000 :**


- IMF-ACE plot
- EISCAT VHF(Tromsø) radar summary plots
- EISCAT Svalbard summary plots
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

## ACE: Solar Wind Parameters, Nov 28 2000




UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
$X_{\text{GSM}}$	225.7	225.7	225.8	225.8	225.8	225.8	225.8	225.8	225.8
$Y_{\text{GSM}}$	34.7	34.9	35.0	35.3	35.4	35.2	35.0	34.8	34.5
$Z_{\text{GSM}}$	-19.8	-19.7	-19.5	-19.0	-18.7	-19.1	-19.5	-19.8	-20.2






Longyearbyen 28-Nov-2000 Az 181 El 82




Longyearbyen 28-Nov-2000 Az -45- 0 El 30



# IMAGE magnetometer network 2000-11-28

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5




DATE: 28/November/2000

0 10 20 30 40 50 60

Attenuation dB

8 9 10 11 12 13 14 15 16 17 18 19


Frequency MHz




## **Contents, December 01, 2000 :**

- IMF-ACE plot
- EISCAT VHF(Tromsø) radar summary plots
- EISCAT Svalbard summary plots
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot


## ACE: Solar Wind Parameters, Dec 1 2000




UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
$X_{\text{GSM}}$	226.6	226.6	226.6	226.6	226.6	226.6	226.6	226.6	226.7
$Y_{\text{GSM}}$	36.4	36.4	36.5	36.5	36.6	36.6	36.6	36.6	36.7
$Z_{\text{GSM}}$	-18.6	-18.5	-18.4	-18.4	-18.3	-18.3	-18.2	-18.2	-18.1




Tromso VHF 01 Dec 2000-01 Dec 2000 Az -15- 0 El 30



# Longyearbyen 01-Dec-2000 Az 181 El 82




Longyearbyen 01-Dec-2000 Az -45° E|30



# IMAGE magnetometer network 2000-12-01

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5

DATE: 1/December/2000



0 10 20 30 40 50 60

Attenuation dB




8 9 10 11 12 13 14 15 16 17 18 19

Frequency MHz



Ground Scatter



UNIVERSAL TIME


---

## **Contents, December 04, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot


**Note:** EISCAT VHF(Tromsø) radar data for this date was not available at the time of this printing.

## ACE: Solar Wind Parameters, Dec 4 2000




UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
$X_{\text{GSM}}$	227.3	227.4	227.4	227.4	227.4	227.4	227.4	227.4	227.4
$Y_{\text{GSM}}$	36.3	36.4	36.5	36.7	36.8	36.9	37.0	37.1	37.2
$Z_{\text{GSM}}$	-19.2	-18.9	-18.7	-18.4	-18.1	-17.8	-17.6	-17.3	-17.0

Longyearbyen 04-Dec-2000 Az 181 El 82




Longyearbyen 04-Dec-2000 Az -15- 0 El 30



## IMAGE magnetometer network 2000-12-04




2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5

DATE: 4/December/2000




**Contents, December 07, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot


**Note:** EISCAT VHF(Tromsø) radar data for this date was not available at the time of this printing.


## ACE: Solar Wind Parameters, Dec 7 2000



UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
$X_{\text{GSM}}$	228.2	228.2	228.2	228.3	228.3	228.3	228.3	228.3	228.3
$Y_{\text{GSM}}$	38.4	38.3	38.4	38.4	38.4	38.4	38.4	38.5	38.5
$Z_{\text{GSM}}$	-13.6	-13.7	-13.6	-13.5	-13.4	-13.3	-13.2	-13.1	-13.0


Longyearbyen 07–Dec-2000 Az 181 El 82





# IMAGE magnetometer network 2000-12-07

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5




DATE: 7/December/2000

0 10 20 30 40 50 60

Attenuation dB

6 8 10 11 12 13 14 15 16 17 18 19


Frequency MHz



## **Contents, January 15, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots(64 sec. resolution)
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

# ACE: Solar Wind Parameters, Jan 15 2001



UT	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00
X <sub>GSM</sub>	241.6	241.6	241.6	241.6	241.7	241.7	241.7	241.7	241.7
Y <sub>GSM</sub>	5.2	5.3	5.4	5.5	5.7	5.8	5.9	6.0	6.2
Z <sub>GSM</sub>	20.3	20.2	20.2	20.2	20.1	20.1	20.1	20.0	20.0




# EISCAT Scientific Association

## EISCAT SVALBARD RADAR


PCBDYN, 32m, tau0, January 15, 2001

Not for publication - see Rules-of-the-road



# IMAGE magnetometer network 2001-01-15

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5




DATE: 15/January/2001

0 10 20 30 40 50 60

Attenuation dB

8 9 10 11 12 13 14 15 16 17 18 19


Frequency MHz



## **Contents, January 16, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots(64 sec. resolution)
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

## ACE: Solar Wind Parameters, Jan 16 2001



UT	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00
$X_{\text{GSM}}$	241.9	241.9	241.9	241.9	241.9	241.9	241.9	241.9	241.9
$Y_{\text{GSM}}$	3.1	2.9	2.6	2.4	2.2	2.0	1.8	1.6	1.4
$Z_{\text{GSM}}$	20.5	20.6	20.6	20.6	20.7	20.7	20.7	20.8	20.8




# EISCAT Scientific Association

## EISCAT SVALBARD RADAR

PCBDYN, 32m, tau0, January 16, 2001


Produced at EISCAT Longyearbyen, 21-Jan-2001

Not for publication – see Rules-of-the-road



# IMAGE magnetometer network 2001-01-16

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5

DATE: 16/January/2001


0 10 20 30 40 50 60

Attenuation dB

6 8 10 11 12 13 14 15 16 17 18 19


Frequency MHz

RANGE BIN



27  
24  
21  
18  
15  
12  
9  
6  
3


RANGE BIN



800  
600  
400  
200  
0  
-200  
-400  
-600  
-800

Ground Scatter

RANGE BIN




450  
400  
350  
300  
250  
200  
150  
100  
50

UNIVERSAL TIME

## **Contents, January 17, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots(64 sec. resolution)
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

ACE: Solar Wind Parameters, Jan 17 2001






# EISCAT Scientific Association


## EISCAT SVALBARD RADAR

PCBDYN, 32m, tau0, January 17, 2001



# IMAGE magnetometer network 2001-01-17

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5




DATE: 17/January/2001

9 10 20 30 40 50 60

Attenuation dB

8 9 10 11 12 13 14 15 16 17 18 19


Frequency MHz



## **Contents, January 18, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots(64 sec. resolution)
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

ACE: Solar Wind Parameters, Jan 18 2001






# EISCAT Scientific Association

## EISCAT SVALBARD RADAR

PCBDYN, 32m, tau0, January 18, 2001


Produced at EISCAT Longyearbyen, 21-Jan-2001

Not for publication – see Rules-of-the-road



# IMAGE magnetometer network 2001-01-18

2 minute averages






# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5

DATE: 18/January/2001

0 10 20 30 40 50 60 Attenuation dB


8 9 10 11 12 13 14 15 16 17 18 19 Frequency MHz



## **Contents, January 19, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots(64 sec. resolution)
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

## ACE: Solar Wind Parameters, Jan 19 2001



UT	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00
$X_{\text{GSM}}$	242.5	242.5	242.5	242.5	242.5	242.5	242.5	242.5	242.5
$Y_{\text{GSM}}$	-1.5	-1.3	-1.2	-1.1	-1.0	-0.9	-0.7	-0.6	-0.5
$Z_{\text{GSM}}$	21.5	21.5	21.5	21.5	21.5	21.6	21.6	21.6	21.6




# EISCAT Scientific Association

## EISCAT SVALBARD RADAR

PCBDYN, 32m, tau0, January 19, 2001


Produced at EISCAT Longyearbyen, 21-Jan-2001

Not for publication - see Rules-of-the-road



# IMAGE magnetometer network 2001-01-19

2 minute averages




# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5




DATE: 19/January/2001



Attenuation dB



Frequency MHz




---

## **Contents, January 20, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots(64 sec. resolution)
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

ACE: Solar Wind Parameters, Jan 20 2001






# EISCAT Scientific Association

## EISCAT SVALBARD RADAR

PCBDYN, 32m, tau0, January 20, 2001


Produced at EISCAT Longyearbyen, 21-Jan-2001

Not for publication – see Rules-of-the-road



# IMAGE magnetometer network 2001-01-20

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5

DATE: 20/January/2001

0 10 20 30 40 50 60


Attenuation dB



8 9 10 11 12 13 14 15 16 17 18 19

Frequency MHz


RANGE BIN



27  
24  
21  
18  
15  
12  
9  
6  
3

00:00 04:00 08:00 12:00 16:00 20:00 00:00

RANGE BIN




800  
600  
400  
200  
0  
-200  
-400  
-600  
-800

00:00 04:00 08:00 12:00 16:00 20:00 00:00

Ground Scatter

RANGE BIN



450  
400  
350  
300  
250  
200  
150  
100  
50


00:00 04:00 08:00 12:00 16:00 20:00 00:00

UNIVERSAL TIME

## **Contents, January 25, 2000 :**

- IMF-ACE plot
- EISCAT Svalbard summary plots(64 sec. resolution)
- IMAGE magnetometer data
- CUTLASS Finland, Range-Time-Parameter plot

## ACE: Solar Wind Parameters, Jan 25 2001



UT	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
$X_{\text{GSM}}$	242.7	242.7	242.7	242.7	242.7	242.7	242.7	242.7	242.7
$Y_{\text{GSM}}$	-10.9	-11.0	-11.1	-11.2	-11.3	-11.5	-11.6	-11.7	-11.8
$Z_{\text{GSM}}$	21.9	21.9	21.8	21.8	21.7	21.7	21.6	21.6	21.5




# EISCAT Scientific Association

## EISCAT SVALBARD RADAR

PCBDYN-NO, 32m, tau0, January 25, 2001


Produced at EISCAT Longyearbyen, 25-Jan-2001

Not for publication - see Rules-of-the-road



# IMAGE magnetometer network 2001-01-25

2 minute averages



# CUTLASS FINLAND RANGE-TIME-PARAMETER PLOT

BEAM: 5

DATE: 25/January/2001


0 10 20 30 40 50 60

Attenuation dB

8 9 10 11 12 13 14 15 16 17 18 19

Frequency MHz


RANGE BIN



27  
24  
21  
18  
15  
12  
9  
6  
3

Power [dB]

RANGE BIN




800  
600  
400  
200  
0  
-200  
-400  
-600  
-800

Velocity [m/s]

Ground Scatter

RANGE BIN



450  
400  
350  
300  
250  
200  
150  
100  
50

Spectral Width [m s<sup>-1</sup>]

UNIVERSAL TIME